

CORRIGENDUM
(Authenticated copy of the corrigendum to be enclosed along with Part-I Technical bid)

Two Part E-Bid Open Tender for the purchase of Ghee Jars along with the Accessories for packing Ghee In 100ml/200ml/500ml/1000ml Variants to meet out two years requirement to DCP, TV Malai

The following amendments are hereby made in the tender documents for the purchase of Ghee Jars along with the Accessories for packing Ghee In 100ml/200ml/500ml/1000ml Variants to meet out two years requirement to DCP, TV Malai:

Technical Bid

1. As per tender document, tender clause no.3.2(page no.21) of technical bid under the head of 3.0 Pre-Qualification Criteria is as follows:

3.2. The tenderer should have necessary and complete infrastructure facilities for **manufacturing** of the item tendered in **"single stage"** format. The details of infrastructure facilities should be submitted along with Part-I Technical bid.

Tender clause no.3.2(page no.21) of technical bid under the head of 3.0 Pre-Qualification Criteria may be read as follows:

3.2. The tenderer should have necessary and complete infrastructure facilities for manufacturing of the item tendered item by **converting from Single Stage to Single/Two Stage** format. The details of infrastructure facilities should be submitted along with Part-I Technical bid.

Joint Managing Director i/c.